

测试报告

No. TSNEC1601827404

日期: 2016年10月20日 第1页,共3页

烟台白马包装有限公司 中国烟台市福山区电信路222号

以下测试之样品是由申请者所提供及确认:易优家大物收纳袋

SGS工作编号: TP16-007852 - TJ

主要成份: PΕ

型号: 330*390*0.06 批号: 20160928

样品接收日期: 2016年10月14日

测试周期: 2016年10月14日 - 2016年10月20日

测试要求: 根据客户要求测试

测试方法: 请参见下一页 测试结果: 请参见下一页

测试结果概要:

测试要求	结论
FDA 21 CFR 177.1520-萃取物含量	符合
FDA 21 CFR 177.1520-可溶物含量	符合
FDA 21 CFR 177.1520-密度 (23°C)	符合

通标标准技术服务 (天津) 有限公司 授权签名

Reabeca Zhou周艳

批准签署人

检测结果只对测试样负责,仅供客户内部使用,不作为社会公正性数据。

备注: 根据客户申请, SGS出具了此中文报告, 英文版本可根据客户要求提供. (The Chinese test report is issued according to the applicant's request. The English version is available from SGS if further needed)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 f (86-22) 25295252 中国·天津市经济技术开发区第五大街41号SGS大厦 邮编: 300457

t (86-22) 65288000 f (86-22) 25295252

www.sgsgroup.com.cn e sgs.china@sgs.com



测试报告 No. TSNEC1601827404 日期: 2016年10月20日 第2页.共3页

测试结果:

测试样品描述:

材质 样品编号 SGS样品ID 描述

(客户提供)

无色透明塑料袋(棕色密封条和白色印刷未检测) PΕ SN1 TSN16-018274.004

FDA 21 CFR 177.1520-萃取物含量

测试要求: 应客户要求,按照食品与药品管理法规(FDA)测试与食品接触而不用于烹饪中包装或盛放食品的

聚乙烯在正已烷中的萃取含量.

测试方法: 参考FDA 21 CFR 177.1520(d)(3)(ii).

常用模拟液 最大允许限值 评论 时间 温度 样品004

可萃取量

正己烷 2hr(s) 50°C 5.5% (w/w) 1.7% (w/w) 符合

FDA 21 CFR 177.1520-可溶物含量

测试要求: 应客户要求,按照食品与药品管理法规(FDA)测试与食品接触而不用于烹饪中包装或盛放食品的

聚乙烯在二甲苯中的可溶物含量.

测试方法: 参考FDA 21 CFR 177.1520(d)(4)(ii).

样品004 常用模拟液 时间 温度 最大允许限值 评论

可萃取量

二甲苯 25°C 11.3% (w/w) 3.3% (w/w) 符合

FDA 21 CFR 177.1520-密度 (23°C)

应客户要求,按照食品与药品管理法规(FDA)测试与食品接触而不用于烹饪中包装或盛放食品的 测试要求:

聚乙烯的密度 (23℃).

测试方法: 参考FDA 21 CFR 177.1520d(1).

测试项目 限值 004 0.93 0.85 - 1.00密度(23℃), g/cm³

评论 符合



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 t (86-22) 65288000 f (86-22) 25295252 www.sgsgroup.com.cn 中国·天津市经济技术开发区第五大街41号SGS大厦 t (86-22) 65288000 f (86-22) 25295252 邮编: 300457 e sgs.china@sgs.com



测试报告 No. TSNEC1601827404 日期: 2016年10月20日 第3页.共3页

备注:

(1) 这项测试由SGS上海化学实验室操作。

样品照片:



此照片仅限于随SGS正本报告使用

*** 报告完 ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443,