



检测报告

ASH19-062642-04

发布日期: 2019年11月18日

客户名称: 烟台白马包装有限公司
客户地址: 山东省烟台市福山区电信路222号

样品名称: 易优家抗菌密实袋
生产商: 烟台白马包装有限公司
样品批号: 20191101
生产日期: /
样品其他信息: 规格: 230X250+30X0.06MM

以上样品及信息由客户提供及确认, SGS不承担证实客户提供信息的准确性、适当性和(或)完整性责任。

SGS相关号: QP19-001033/TJF19-007989
样品接收日期: 2019年11月08日
检测周期: 2019年11月08日 - 2019年11月18日
检测要求: 根据客户要求检测
检测方法: 请参见下一页
检测结果: 请参见下一页

除非另有说明, 本检测结果仅与被检测物品有关。仅供客户内部使用, 不对社会具有证明作用。未经检验机构书面同意, 委托人不得擅自使用检测结果进行不当宣传。



ASH19-062642-04
扫码辨真伪

SGS授权签字人

通标标准技术服务(上海)有限公司

第1页,共4页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Agency and Reference Laboratory

3rd Building, No.889, Yishan Road, Shanghai, China 200233
中国·上海·宜山路889号3号楼 邮编: 200233

t 400-691-0488 f (86-21) 6140 2547 www.sgsgroup.com.cn
t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

检测报告

ASH19-062642-04

发布日期: 2019年11月18日

检测样品描述:

样品编号	SGS样品ID	描述
1	ASH19-062642.001	袋装物

检测结果:

检测要求: 抗菌效果实验

检测方法: GB/T 31402-2015/ISO 22196:2007(IDT) 塑料-塑料表面抗菌性能试验方法

ASH19-062642-04.001

检测菌种 单核细胞增生李斯特氏菌54001

接种菌液浓度 (CFU/mL) 7.4x10⁵

接种菌液量 (mL) 0.2

未经抗菌处理试样-"0小时"接触时间洗脱后获得的细菌数对数值 (CFU/cm²) 3.95

未经抗菌处理试样-"24小时"接触时间洗脱后获得的细菌对数值 (CFU/cm²) 4.04

经抗菌处理试样-"24小时"接触时间洗脱后获得的细菌对数值 (CFU/cm²) -0.20

通标标准技术服务(上海)有限公司

第2页,共4页



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 3rd Building, No.889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgsgroup.com.cn
 中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com

检测报告

ASH19-062642-04

发布日期: 2019年11月18日

单核细胞增生李斯

特氏菌54001

抗菌性能值

4.2

*抗菌率 (%)

>99.9

备注:

未经抗菌处理试样为无抗菌性能塑料膜, 由SGS实验室提供。

*抗菌率按照客户要求添加, 计算公式参照QB/T 2591-2003 附录A, 如下:

$R(\%) = \frac{B-C}{B} \times 100$

R(%): 抗菌率

B: 未经抗菌处理的试验接种后24h的菌数的平均值(CFU/cm²)

C: 经抗菌处理试验接种后24h的菌数的平均值(CFU/cm²)

样品直接测试不灭菌。

通标标准技术服务(上海)有限公司

第3页, 共4页

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889, Yishan Road, Shanghai, China 200233

t 400-691-0488

f (86-21) 6140 2547

www.sgsgroup.com.cn

中国·上海·宜山路889号3号楼

邮编: 200233

t 400-691-0488

f (86-21) 6140 2547

e sgs.china@sgs.com




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Agency and Reference Laboratory

检测报告

ASH19-062642-04

发布日期: 2019年11月18日

样品照片:



该照片只针对SGS原始报告

*** 结束 ***

通标标准技术服务(上海)有限公司

第4页,共4页

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgsgroup.com.cn
中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

